

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application. Please amend the claims as follows:

**Listing of Claims:**

1. (Currently Amended) A computer storage media ~~having~~storing computer-executable instructions that when executed perform a method[[,]] comprising:

~~retrieving~~receiving first meta-data of a first member of a replica set~~resource that is replicated on a plurality of machines, the resource having meta data and content that reside on each machine on which the resource is replicated, the first meta-data including a first fence value and first other meta-data~~one or more values that are updated whenever the content of the resource is changed via any local update and a fence value that is independent of any local changes to the content;

~~comparing~~ [[a]]the first fence value of the content on a first machine of the plurality of machines with a second fence value, wherein the second fence value is part of second meta-data of the content on a second member of the replica set~~machine of the plurality of machines, the second meta-data including the second fence value and second other meta-data;~~

~~determining whether the first fence value has~~is of higher precedence than~~over~~ the second fence value; ~~and~~

~~updating~~changing content of the second member~~the resource residing on the second machine~~ based on the determining; ~~and~~

changing the second other meta-data to indicate a change in the content of the second member and maintaining the second fence value unchanged.

2. (Currently Amended) The computer storage media of claim 1, wherein the second meta-data is stored in a store separate from the contentof the second member.

3. (Currently Amended) The computer storage media of claim 1, wherein changing content of the second member~~updating the resource residing on the second machine~~ comprises determining one or more differences between ~~the content on the first member and the content of the second member~~machines and transmitting the one or more differences.

4. (Canceled)

5. (Canceled)

6. (Currently Amended) The computer storage media of claim 1, wherein the content on the second machine comprises file data and file attributes.

7. (Currently Amended) The computer storage media of claim 1, wherein ~~each~~the first meta-data ~~on each machine~~further comprises a first digest that summarizes the first resource and the second meta-data further comprises a second digest that summarizes the second resource.

8. (Currently Amended) The computer storage media of claim 7[[8]], further comprising comparing the first digest[[s]] with the second digest ~~of the meta-data on the machines~~ and bypassing the changing the content of the second member ~~updating~~ if the first digest[[s]] and the second digest are equivalent.

9. (Canceled)

10. (Currently Amended) The computer storage media of claim 1, further comprising if the ~~first fence value~~value is equal to the second fence value ~~are equivalent~~, comparing the first other data in the meta-data ~~with the second other meta-data~~ to determine whether the content on the second member should be changed ~~updated~~.

11. (Currently Amended) The computer storage media of claim 1, wherein each of the first fence value and the second fence value is assigned to a portion ~~or portions~~ of content on its respective member of the replica set ~~resource~~.

12. (Canceled)

13. (Canceled)

14. (Canceled)

15. (Canceled)

16. (Currently Amended) A computer storage media ~~having~~storing computer-executable instructions that when executed perform a method[[,]] comprising:

determining whether a first resource residing on a first machine should be used to update a second resource residing on a second machine, each resource associated with meta-data and content, each meta-data including one or more fields that are updated whenever the content of the associated resource is changed and a fence value, each fence value indicating whether its associated resource should be used to update a resource on another machine, the fence value having a higher precedence over~~than from~~ other meta-data;

preventing propagation from the second machine based on the fence value of the second resource indicating that the second resource should not be propagated; and

updating the second resource from the first resource based on the fence value of the first resource having a higher precedence than over the fence value of the second resource, and maintaining the fence value of the first resource and the fence value of the second resource unchanged.

17. (Currently Amended) The computer storage media of claim 16, further comprising if the fence values of the first and second resources are equivalent, determining which machine will be updated~~update the other~~ based on other meta-data ~~other than the fence values.~~

18. (Previously presented) The computer storage media of claim 17, wherein the other meta-data comprises a logical clock indicating the last time the corresponding content was updated.

19. ((Previously presented) The computer storage media of claim 18, wherein a fence value indicates that its corresponding resource may be propagated to other machines until another resource with a higher fence value is located on another machine.

20. (Previously presented) The computer storage media of claim 16, wherein the meta-data associated with the first resource is stored in a separate data structure from its corresponding resource.

21. (Previously presented) The computer storage media of claim 20, wherein the data structure is corrupted or deleted, further comprising rebuilding the data structure and decrementing the fence value associated with the first resource.

22. (Previously presented) The computer storage media of claim 21, further comprising rebuilding the data structure a plurality of times and decrementing the fence value associated with the first resource each time the data structure is rebuilt.

23. (Currently Amended) The computer storage media of claim 22, further comprising if the fence value of the second resource ~~has a higher precedence over~~ is of higher precedence over the fence value of the first resource, updating the first resource from the second resource.

24-30. (Canceled)

31. (Currently Amended) A system for replicating data, comprising:  
a first machine having a first set of resources;  
a second machine having a second set of resources, wherein each resource on each machine is associated with meta-data and content, each meta-data including one or more fields that are updated whenever the content of the associated resource is changed and a fence value, each fence value indicating whether its associated resource should be used to update a resource on another machine independently from other meta-data, wherein the first and second machines are configured to:

communicate information regarding the resources contained by both machines; and

update each resource that is out-of-date according to the following precedence:

determining whether a fence value of a resource on one of the machines ~~hasis of higher~~ precedence over ~~than~~ the fence value of a corresponding resource on the other machine;

if a fence value of a resource on one of the machines ~~hasis of higher~~ precedence over ~~than~~ the fence value of a corresponding resource on the other machine, updating the other machine with the resource on the one machine; otherwise

updating the resource on the machines based on data other than the fence values, wherein the fence values are maintained unchanged.

32. (Original) The system of claim 31, wherein the first set of resources is loaded from a backup and the fence values thereof are set to cause the first set of resources to have precedence over any other set of resources, such that any other set of resources on any other machine that corresponds to the set of resources are updated from the first set of resources.

33. (Original) The system of claim 31, wherein the fence values of the first set of resources are marked to have precedence over corresponding resources on other machines, such that the corresponding resources are updated from the first set of resources.

34. (New) A computer implemented method of replicating data, the method comprising:

- receiving first meta-data of a first member of a replica set, the first meta-data including a first fence value and first other meta-data;
- comparing the first fence value with a second fence value, wherein the second fence value is part of second meta data of a second member of the replica set, the second meta-data including the second fence value and second other meta-data;
- determining whether the first fence value has precedence over the second fence value;
- changing content of the second member based on the determining; and
- changing the second other meta-data to indicate a change in the content of the second member and maintaining the second fence value unchanged.

35. (New) The method of claim 34, wherein the second meta-data is stored in a store separate from the content of the second member.

36. (New) The method of claim 34, wherein updating the content of the second member comprises determining one or more differences between content on the first member and the content of the second member.

37. (New) The method of claim 36, wherein content on the first machine and the content on the second machine is the same.

38. (New) The method of claim 34, wherein the content on the second machine comprises file data and file attributes.

39. (New) The method of claim 34, wherein the first meta-data comprises a digest that summarized the first resource and the second meta-data comprises a second digest that summarizes the second resource.

40. (New) The method of claim 39, further comprising comparing the first digest and the second digest and bypassing the changing the content of the second member if the digests are equivalent.

41. (New) The method of claim 34, further comprising if the first fence value is equal to the second fence value, comparing the first other meta-data with the second other meta-data to determine whether the content on the second machine should be changed.

42. (New) The method of claim 34, wherein each of the first fence value and the second fence value is assigned to a portion of its respective member of the replica set.